



**Certificate of Analysis**  
Compliance Test

Client Information:

**CBD FLA INC.**  
2973 W STATE ROAD 434 SUITE  
200  
LONGWOOD, FL 32779  
Order # CBD250103-090001  
Order Date: 2025-01-03  
Sample # AAGG904

Batch # 22.24.170.518  
Batch Date: 2024-07-18  
Extracted From: Hemp

Test Reg State: Florida

Sampling Date: 2025-01-08  
Lab Batch Date: 2025-01-08  
Completion Date: 2025-01-15

Initial Gross Weight: 7.141 g  
Density: 1 g/ml



**Potency  
Tested**

Product Image

**Potency 10**

Specimen Weight: 100.870 mg

**Tested**

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)
CBD	5.40E-5	0.015	161.420	16.142
CBG	2.48E-4	0.015	75.120	7.512
CBC	1.80E-5	0.015	11.190	1.119
CBN	1.40E-5	0.015	9.490	0.949
CBDV	6.50E-5	0.015	1.800	0.180
Delta-9 THC	1.30E-5	0.015	0.470	0.047
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			161.420	16.142
Total Active THC			0.470	0.047

**Potency Summary**

<b>Total Active THC</b> 0.047%	<b>Total Active CBD</b> 16.142%
<b>Total CBG</b> 7.512%	<b>Total CBN</b> 0.949%
<b>Total Cannabinoids</b> 25.949%	

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.  
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

